From: Steven Bilawchuk

To: <u>Joan Yu</u>

Cc: patrickf@aciacoustical.com

Subject: FW: AUC Bulletin 2022-08 - Initiation of stakeholder consultation process for AUC Rule 012: Noise Control

Date: Wednesday, June 8, 2022 2:33:44 PM

CAUTION: This email has been sent from an external source. Confirm you recognize the sender's email address and treat hyperlinks and attachments in this email with due care.

Joan,

We just wanted to inform you that we have reviewed the proposed changes to Rule 012 and have no questions/comments/edits other than that the proposed changes address items that we had already been assuming in our interpretation of Rule 012 so we are glad to see them formally included in the document.

Regards, STEVE



"Acoustics People Make Sound Decisions"

Steven Bilawchuk, M.Sc., P.Eng.

Principal Partner

aci Acoustical Consultants Inc.

5031 - 210 Street, Edmonton, Alberta, Canada, T6M 0A8 www.aciacoustical.com, e-mail: stevenb@aciacoustical.com

Phone: (780) 414-6373 Cell: (780) 915-5080

APEGA Permit to Practice # P7735

From: Crystal Carstens < Crystal. Carstens@auc.ab.ca>

Sent: June 3, 2022 1:54 PM

Subject: AUC Bulletin 2022-08 - Initiation of stakeholder consultation process for AUC Rule 012:

Noise Control

Hello,

The AUC issued Bulletin 2022-08 "Initiation of stakeholder consultation process for AUC Rule 012: Noise Control" and associated documents (i.e., Overview of potential changes to Rule 012, Rule 012 revision matrix and Blackline Rule 012) on the AUC's Rule 012 consultation webpage.

The AUC values stakeholder input regarding the proposed changes and is seeking comments and feedback by <u>July 8, 2022</u>. The bulletin is attached to the email for your convenience.

Thank you.

Crystal Carstens

Administrative Assistant www.auc.ab.ca



This email and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you are not the named addressee you should not disseminate, distribute or copy this email.